
HICKMAN¹ **EDGE SYSTEMS**

WIND RESISTANT XL GUTTER

BOX



ANGLE IS REQUIRED WITH THE LOWER MOUNTING HANGER. SEE SEPARATE XL GUTTER MOUNTING ANGLE PRINT APPROVAL.

DIMENSIONS SELECT SIZE FRONT HEIGHT **BOTTOM WIDTH BACK HEIGHT** 8" 8" 9" 9" 10" 10" 10" 11" 11" 11" 12" 12" 12" 13"

13"

14"

13"

14"

Left Endcaps

MATERIAL* 22 Ga. Galv. Steel Color: _____ Finish: .050" Aluminum Substrate: .063" Aluminum If substrate is not Wood given, wood fasteners Masonry will be provided. Metal

QUANTITIES	Accessory Type*: Quicklock (Default) Welded (Surcharge)	
Lineal Feet (12'-0"Lengths)		
Outside Miter (90°)	Expansion Joints (Style 1)	
Inside Miter (90°)	Expansion Joints (Style 2)	
Right Endcaps		

14"

15"

*NOTES

- Not available in 24 ga. galv. steel or .040" aluminum
- · Splice plates and pop rivets provided
- Gutter cannot be cantilevered
- Maximum downspout dimension not to exceed gutter bottom width minus 1-9/16"
- Pre-attached gutter cleat and lower mounting hanger are made out of the same material as the gutter
- Unless otherwise noted, fabrication of miters and accessories are provided with a non-penetrating quicklock joint, then factory sealed watertight
- Welded accessories require minimum material thickness of .050 aluminum.
- For non-90 miters, see separate print approval
- Product should be installed per provided installation instructions
- ANSI/SPRI/GT-1 test pressures up to 266 psf (Horizontal), 291 psf (Vertical), 175 plf (Downward)

APPROVALS*

ANSI/SPRI/GT-1 Test Pressures listed in notes APPROVED

PROJE	CT I	NF(O

Project Name:				
Architect:				
Roofing Contractor:				
Project Type:				
By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All				
products will be installed in strict accordance with printed instructions.	SHT# of			
	DATE:			
Date:	DRN BY: MLM			
Hickman Edge Systems	CKD BY: MM			
4 Commerce Way Arden, NC 28704	DWG # : 64012-40704			

REV:

Phone: 828-676-1700

www.hickmanedgesystems.com